

BIG SHOT SULFURIC ACID DRAIN OPENER

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 03/31/2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : BIG SHOT SULFURIC ACID DRAIN OPENER
CAS No : 7664-93-9
Product code : 0-112
Formula : H₂SO₄

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Drain Opener

1.3. Details of the supplier of the safety data sheet

MAINTENANCE SOLUTIONS, INC.
7755 East Gelding #C103
Scottsdale, AZ
F 480-688-9745 - T 480-607-9593

1.4. Emergency telephone number

Emergency number : 800-255-3924

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US classification

Met. Corr. 1	H290
Skin Corr. 1A	H314
Eye Dam. 1	H318
Carc. 1A	H350

Full text of H-phrases: see section 16

2.2. Label elements

GHS-US labelling

Hazard pictograms (GHS-US) :



GHS05

GHS08

Signal word (GHS-US) :

Danger

Hazard statements (GHS-US) :

May be corrosive to metals
Causes severe skin burns and eye damage
Causes serious eye damage
May cause cancer (Dermal)

Precautionary statements (GHS-US) :

Obtain special instructions before use
Do not handle until all safety precautions have been read and understood
Keep only in original container
Do not breathe mist, spray, vapours, fume
Wash hands, forearms and face thoroughly after handling
Wear eye protection, face protection, protective clothing, protective gloves
If swallowed: rinse mouth. Do NOT induce vomiting
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower
If inhaled: Remove person to fresh air and keep comfortable for breathing
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
If exposed or concerned: Get medical advice/attention
Immediately call a doctor, a POISON CENTER
Specific treatment (see first aid section. on this label)
Wash contaminated clothing before reuse
Absorb spillage to prevent material damage
Store locked up

BIG SHOT SULFURIC ACID DRAIN OPENER

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Store in corrosive resistant container with a resistant inner liner
Dispose of contents/container to an approved waste disposal plant

2.3. Other hazards

Other hazards not contributing to the classification : Reacts violently with water.

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	GHS-US classification
sulfuric acid, conc>51%, aqueous solutions	(CAS No) 7664-93-9	96	Skin Corr. 1A, H314 Carc. 1A, H350

Full text of H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

First-aid measures after skin contact : Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. Immediately call a POISON CENTER or doctor/physician.

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Causes severe skin burns and eye damage.

Symptoms/injuries after inhalation : Corrosive to the respiratory tract. Burns. Cough. Sore throat.

Symptoms/injuries after skin contact : Burns. Red skin.

Symptoms/injuries after eye contact : Causes serious eye damage.

Symptoms/injuries after ingestion : Burns. Abdominal pain. Shock.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Carbon dioxide. Dry powder.

Unsuitable extinguishing media : Water.

5.2. Special hazards arising from the substance or mixture

Reactivity : Reacts violently with water. Reacts violently with (some) acids. Reacts violently with (some) bases: (increased) risk of fire.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Self-contained breathing apparatus.

Other information : Contact with strong bases or alkaline materials may cause violent reactions or explosions. Risk of fire and explosion. Thermal decomposition yields toxic products which can be corrosive in the presence of moisture.

BIG SHOT SULFURIC ACID DRAIN OPENER

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment : Gloves. Protective goggles. Face-shield. Protective clothing. Large spills/in enclosed spaces: compressed air apparatus. Large spills/in enclosed spaces: gas-tight suit. Corrosion-proof suit.

Emergency procedures : Do not get in eyes, on skin, or on clothing. Evacuate unnecessary personnel. In case of hazardous reactions: keep upwind. On contact with moisture/water: consider evacuation. Only qualified personnel equipped with suitable protective equipment may intervene. Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Large spills: Cautiously neutralize spilled liquid. Wash away neutralized product with plenty of water.

Methods for cleaning up : Small spills: Contain and collect spillages with non-combustible absorbent materials, e.g. Do not absorb with saw-dust or any other combustible absorbent material. Wash away neutralized product with plentiful water.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : May be corrosive to metals.

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not breathe mist, spray, vapours, gas. Avoid contact during pregnancy/while nursing. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.

Hygiene measures : Wash hands thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : heat. Keep container closed when not in use.

Incompatible products : Oxidizing agent. Strong acids. Strong bases. Water.

Incompatible materials : Sources of ignition. Direct sunlight.

Packaging materials : Store in original container.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

BIG SHOT SULFURIC ACID DRAIN OPENER (7664-93-9)		
ACGIH	ACGIH TWA (mg/m ³)	0.2 mg/m ³
ACGIH	Remark (ACGIH)	Pulm func
OSHA	OSHA PEL (TWA) (mg/m ³)	1 mg/m ³
sulfuric acid, conc>51%, aqueous solutions (7664-93-9)		
ACGIH	ACGIH TWA (mg/m ³)	0.2 mg/m ³
ACGIH	Remark (ACGIH)	Pulm func
OSHA	OSHA PEL (TWA) (mg/m ³)	1 mg/m ³

BIG SHOT SULFURIC ACID DRAIN OPENER

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

8.2. Exposure controls

Appropriate engineering controls : Ensure good ventilation of the work station.
Personal protective equipment : Gloves. Face shield. In case of splash hazard: safety glasses. Respiratory protection not required in normal conditions.



Hand protection : Wear protective gloves.
Eye protection : Chemical goggles or face shield.
Skin and body protection : Wear suitable protective clothing.
Respiratory protection : Respiratory protection not required in normal conditions. In case of insufficient ventilation, wear suitable respiratory equipment.
Other information : Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : Colourless Dark pink
Odour : acidic Almost odourless Sulfur
Odour threshold : No data available
pH : No data available
Melting point : No data available
Freezing point : No data available
Boiling point : No data available
Flash point : No data available
Relative evaporation rate (butylacetate=1) : No data available
Flammability (solid, gas) : No data available
Explosive limits : No data available
Explosive properties : No data available
Oxidising properties : No data available
Vapour pressure : No data available
Relative density : No data available
Relative vapour density at 20 °C : No data available
Solubility : Soluble in water.
Log Pow : No data available
Log Kow : No data available
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Viscosity : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reacts violently with water. Reacts violently with (some) acids. Reacts violently with (some) bases: (increased) risk of fire.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Risk of fire and explosion. Reacts vigorously with strong oxidizers and acids. Reacts violently with water.

BIG SHOT SULFURIC ACID DRAIN OPENER

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.4. Conditions to avoid

Keep away from any possible contact with water, because of violent reaction and possible flash fire.

10.5. Incompatible materials

Water : Strong bases. Strong acids. Combustible materials. Oxidizing agent. Acids. metals.

10.6. Hazardous decomposition products

Corrosive vapours.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

sulfuric acid, conc>51%, aqueous solutions (7664-93-9)	
LD50 oral rat	> 2140 mg/kg (Rat)
Skin corrosion/irritation	: Causes severe skin burns and eye damage.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: May cause cancer (Dermal).

BIG SHOT SULFURIC ACID DRAIN OPENER (7664-93-9)	
IARC group	1 - Carcinogenic to humans
National Toxicology Program (NTP) Status	2 - Known Human Carcinogens

sulfuric acid, conc>51%, aqueous solutions (7664-93-9)	
IARC group	1 - Carcinogenic to humans
National Toxicology Program (NTP) Status	2 - Known Human Carcinogens

Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/injuries after inhalation	: Corrosive to the respiratory tract. Burns. Cough. Sore throat.
Symptoms/injuries after skin contact	: Burns. Red skin.
Symptoms/injuries after eye contact	: Causes serious eye damage.
Symptoms/injuries after ingestion	: Burns. Abdominal pain. Shock.

SECTION 12: Ecological information

12.1. Toxicity

sulfuric acid, conc>51%, aqueous solutions (7664-93-9)	
LC50 fish 1	42 mg/l (96 h; Gambusia affinis; Pure substance)
EC50 Daphnia 1	29 mg/l (24 h; Daphnia magna; Pure substance)
LC50 fish 2	49 mg/l (48 h; Lepomis macrochirus; Pure substance)
TLM fish 1	42 mg/l (96 h; Gambusia affinis; Pure substance)
Threshold limit other aquatic organisms 1	6900 mg/l (24 h; Pseudomonas fluorescens; Pure substance)

12.2. Persistence and degradability

BIG SHOT SULFURIC ACID DRAIN OPENER (7664-93-9)	
Persistence and degradability	Biodegradability: not applicable. No (test)data on mobility of the components available.

sulfuric acid, conc>51%, aqueous solutions (7664-93-9)	
Persistence and degradability	Biodegradability: not applicable. No (test)data on mobility of the components available. Not established.
Biochemical oxygen demand (BOD)	Not applicable

BIG SHOT SULFURIC ACID DRAIN OPENER

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

sulfuric acid, conc>51%, aqueous solutions (7664-93-9)	
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable

12.3. Bioaccumulative potential

BIG SHOT SULFURIC ACID DRAIN OPENER (7664-93-9)	
Bioaccumulative potential	Not established.

sulfuric acid, conc>51%, aqueous solutions (7664-93-9)	
Log Pow	-2.20 (Estimated value)
Bioaccumulative potential	Bioaccumulation: not applicable. Not established.

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Effect on the global warming : No known ecological damage caused by this product.

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Neutralize the base with dry sodium bisulphate, add water slowly and flush the neutral solution down the drain with an excess of water. Attention : national and/or local laws and regulations may preclude the use of this method.

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to approved waste disposal site.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Transport document description : UN1830 Sulfuric acid, 8, II

UN-No.(DOT) : UN1830

Proper Shipping Name (DOT) : Sulfuric acid

Transport hazard class(es) (DOT) : 8 - Class 8 - Corrosive material 49 CFR 173.136

Hazard labels (DOT) : 8 - Corrosive



Packing group (DOT) : II - Medium Danger

DOT Packaging Exceptions (49 CFR 173.xxx) : 154

DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) : 1 L

DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75) : 30 L

DOT Vessel Stowage Location : C - The material must be stowed "on deck only" on a cargo vessel and on a passenger vessel.

DOT Vessel Stowage Other : 14 - For metal drums, stowage permitted under deck on cargo vessels

Additional information

Other information : No supplementary information available.

ADR

No additional information available

BIG SHOT SULFURIC ACID DRAIN OPENER

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Transport by sea

UN-No. (IMDG)	: 1830
Proper Shipping Name (IMDG)	: SULPHURIC ACID
Class (IMDG)	: 8 - Corrosive substances
Packing group (IMDG)	: II - substances presenting medium danger

Air transport

UN-No.(IATA)	: 1830
Proper Shipping Name (IATA)	: Sulphuric acid
Class (IATA)	: 8 - Corrosives
Packing group (IATA)	: II - Medium Danger

SECTION 15: Regulatory information

15.1. US Federal regulations

BIG SHOT SULFURIC ACID DRAIN OPENER (7664-93-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory
Not listed on the United States SARA Section 313
Listed on United States SARA Section 313

RQ (Reportable quantity, section 304 of EPA's List of Lists)	1000 lb
SARA Section 302 Threshold Planning Quantity (TPQ)	1000 lb

sulfuric acid, conc>51%, aqueous solutions (7664-93-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory
Not listed on the United States SARA Section 313
Listed on United States SARA Section 313

RQ (Reportable quantity, section 304 of EPA's List of Lists)	1000 lb
SARA Section 302 Threshold Planning Quantity (TPQ)	1000 lb

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

Classification according to Regulation (EC) No. 1272/2008 [CLP]

No additional information available

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Not classified

National regulations

BIG SHOT SULFURIC ACID DRAIN OPENER (7664-93-9)

Listed on IARC (International Agency for Research on Cancer)
Listed as carcinogen on NTP (National Toxicology Program)

sulfuric acid, conc>51%, aqueous solutions (7664-93-9)

Listed on IARC (International Agency for Research on Cancer)
Listed as carcinogen on NTP (National Toxicology Program)

15.3. US State regulations

BIG SHOT SULFURIC ACID DRAIN OPENER(7664-93-9)

State or local regulations	U.S. - Pennsylvania - RTK (Right to Know) List U.S. - Massachusetts - Right To Know List U.S. - New Jersey - Right to Know Hazardous Substance List
----------------------------	---

sulfuric acid, conc>51%, aqueous solutions (7664-93-9)

U.S. - New Jersey - Right to Know Hazardous Substance List
U.S. - Pennsylvania - RTK (Right to Know) List

BIG SHOT SULFURIC ACID DRAIN OPENER

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 16: Other information

Other information : None.

Full text of H-phrases:

Carc. 1A	Carcinogenicity, Category 1A
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Met. Corr. 1	Corrosive to metals, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
H290	May be corrosive to metals
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H350	May cause cancer

NFPA health hazard

: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.

NFPA fire hazard


: 0 - Materials that will not burn.

NFPA reactivity

: 2 - Normally unstable and readily undergo violent decomposition but do not detonate. Also: may react violently with water or may form potentially explosive mixtures with water.

NFPA specific hazard

: W - Unusual reactivity with water. This indicates a potential hazard using water to fight a fire involving this material. When a compound is both water-reactive and an oxidizer, the W/bar symbol should go in this quadrant and the OX warning is placed immediately below the NFPA diamond.



SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product