Safety Data Sheet

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : Scum-Off Shower & Tile Cleaner

Product code : 3-420

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Heavy Duty Foaming Cleaner

1.3. Details of the supplier of the safety data sheet

Maintenance Solutions PO Box 12202 Scottsdale, AZ 85267

T 480-607-9593 - F 480-922-9951

http://www.maintsol.com

1.4. Emergency telephone number

Emergency number : CHEMTEL: 800-255-3924

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (GHS-US)

Skin Irrit. 2 H315 Eye Dam. 1 H318

Full text of H-phrases: see section 16

2.2. Label elements

GHS-US labeling

Hazard pictograms



GHS05

Signal word : Danger

Hazard statements : Causes skin irritation.

Causes serious eye damage.

Precautionary statements : Wash hands and forearms thoroughly after handling.

Wear eye protection, protective gloves. If on skin: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

Immediately call a POISON CENTER or doctor/physician. If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash before reuse.

2.3. Hazard not otherwise classified (HNOC)

No additional information available

2.4. Unknown acute toxicity (GHS-US)

3.49 percent of the mixture consists of ingredient(s) of unknown acute toxicity (Oral)

3.49 percent of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal)

3.49 percent of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (Dust/Mist))

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

(NOTE: If component displays the * (asterisk) symbol, the following statement applies.)

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

Full text of H-phrases: see section 16

Product Code:420 EN (English US) Page 1 of 8

Safety Data Sheet

3.2. Mixture

Name	Product identifier	%	Classification (GHS-US)
2-butoxyethanol	(CAS No) 111-76-2	5 - 10	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Irrit. 2, H315 Eye Irrit. 2A, H319
alkylated naphthalene sulfonate, sodium salt	(CAS No) Proprietary	1 - 5	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT RE 2, H373
trisodium orthophosphate, dodecahydrate	(CAS No) 10101-89-0	1 - 5	Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335
tetrasodium ethylenediaminetetracetate	(CAS No) 64-02-8	1 - 5	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
sodium xylenesulfonate	(CAS No) 1300-72-7	1 - 5	Skin Irrit. 2, H315 STOT SE 3, H335
benzenesulfonic acid, C10-16-alkyl derivs., sodium salt	(CAS No) 68081-81-2	0.1 - 5	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335

(NOTE: If component displays the * (asterisk) symbol, the following statement applies.)

SECTION 4: First aid measures

First-aid measures after eye contact

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for

breathing. If you feel unwell, seek medical advice.

First-aid measures after skin contact : If skin irritation or rash occurs: Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation persists, get medical attention.

: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Not expected to present a significant hazard under anticipated conditions of normal use. If you

feel unwell, seek medical advice.

Symptoms/injuries after skin contact : May cause moderate irritation. Symptoms/injuries after eye contact : Causes serious eye damage.

Symptoms/injuries after ingestion : FOLLOWING SYMPTOMS MAY APPEAR LATER: Gastrointestinal complaints. Irritation of the

gastric/intestinal mucosa. Nausea.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Alcohol-resistant foam. BC powder. Carbon dioxide. Dry chemical powder. Sand/earth.

Unsuitable extinguishing media : No unsuitable extinguishing media known.

5.2. Special hazards arising from the substance or mixture

Reactivity : Reacts with (strong) oxidizers and with (some) acids. Reacts with (some) halogen compounds.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Other information : No additional information available.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Isolate from fire, if possible, without unnecessary risk.

Product Code:420 EN (English US) Page 2 of 8

^{*}Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

Safety Data Sheet

6.1.1. For non-emergency personnel

Protective equipment : Protective goggles.

Protective gloves.

Protective clothing.

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Contain released substance, pump into suitable containers. Plug the leak, cut off the supply.

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect

spillage. Store away from other materials. Wash down leftovers with plenty of water. Wash

clothing and equipment after handling.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Do not get in eyes, on skin, or on clothing. Do not breathe mist, vapors. Ensure good ventilation

of the work station. Observe normal hygiene standards. Provide good ventilation in process area to prevent formation of vapor. Use only outdoors or in a well-ventilated area. Use personal

protective equipment as required.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse. Wash hands and forearms thoroughly after handling. Wash hands and other exposed areas

with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Provide local exhaust or general room ventilation. Comply with applicable regulations.

Incompatible products : Strong acids. Oxidizing agent.

Storage area : Store in a cool, dry well-ventilated area. Keep container tightly closed when not in use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

2-butoxyethanol (111-76-2)		
ACGIH	ACGIH TWA (ppm)	20 ppm
ACGIH	ACGIH STEL (ppm)	20 ppm
OSHA	OSHA PEL (TWA) (mg/m³)	97 mg/m³
OSHA	OSHA PEL (TWA) (ppm)	20 ppm

8.2. Exposure controls

Personal protective equipment : Avoid all unnecessary exposure.

Hand protection : Wear protective gloves.

Eye protection : Chemical goggles or safety glasses.
Skin and body protection : Wear suitable protective clothing.

Respiratory protection : Where exposure through inhalation may occur from use, respiratory protection equipment is

recommended. In case of insufficient ventilation, wear suitable respiratory equipment.

Other information : When using, do not eat, drink or smoke.

Appropriate engineering controls : Handle in accordance with good industrial hygiene and safety practice. Wash hands before

breaks and at the end of workday.

Product Code:420 EN (English US) Page 3 of 8

Safety Data Sheet

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Color : Clear amber
Odor : Lemon

Odor threshold : No data available pH : 12.5 - 13.5

Melting point : No data available Freezing point : No data available Boiling point : No data available : No data available

Flash point : > 200 °F

Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : No data available Explosive limits : No data available Vapor pressure : No data available Vapor density : No data available

Specific Gravity @ 77° F : 1.056 - 1.076
Solubility : Soluble in water.
Partition Coefficient n-Octanol-Water : No data available
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Viscosity : No data available

9.2. Other information

VOC content : < 80 g/l CARB VOC

SECTION 10: Stability and reactivity

10.1. Reactivity

Reacts with (strong) oxidizers and with (some) acids. Reacts with (some) halogen compounds.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Oxidizers.

10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide. Nitrogen oxides. Sulfur oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

tetrasodium ethylenediaminetetracetate (64-02-8)		
LD50 oral rat	> 2000 mg/kg (Rat)	
ATE US (oral)	500.000 mg/kg body weight	
2-butoxyethanol (111-76-2)		
LD50 oral rat	530 mg/kg (Rat; Equivalent or similar to OECD 401; Literature study; 1746 mg/kg bodyweight; Rat; Experimental value)	
LD50 dermal rat	> 2000 mg/kg body weight (Rat; Experimental value; OECD 402: Acute Dermal Toxicity)	
LD50 dermal rabbit	435 mg/kg body weight (Rabbit; Experimental value; OECD 402: Acute Dermal Toxicity; 435 mg/kg bodyweight; Rabbit; Weight of evidence; Equivalent or similar to OECD 402)	
LC50 inhalation rat (mg/l)	2.17 mg/l/4h (Rat; Experimental value; 2.35 mg/l/4h; Rat; Experimental value)	

Product Code:420 EN (English US) Page 4 of 8

Safety Data Sheet

2-butoxvethanol (111-76-2)

2-butoxyethanor (111-70-2)		
LC50 inhalation rat (ppm)	450-486,Rat; Weight of evidence	
ATE US (oral)	530.000 mg/kg body weight	
ATE US (dermal)	435.000 mg/kg body weight	
ATE US (gases)	700.000 ppmV/4h	
ATE US (vapors)	2.170 mg/l/4h	
ATE US (dust, mist)	2.170 mg/l/4h	
benzenesulfonic acid, C10-16-alkyl derivs., sodium salt (68081-81-2)		
ATE US (oral)	500.000 mg/kg body weight	
trisodium orthophosphate, dodecahydrate (10101-89-0)		
LD50 oral rat	7400 mg/kg (Rat; OECD 420: Acute Oral toxicity – Acute Toxic Class Method; Literature study; >2000 mg/kg bodyweight; Rat)	
LD50 dermal rabbit	> 7940 mg/kg (Rabbit)	
LC50 inhalation rat (mg/l)	> 0.83 mg/l/4h (Rat; Read-across)	
ATE US (oral)	7400.000 mg/kg body weight	
sodium xylenesulfonate (1300-72-7)		
LD50 oral rat	3346 mg/kg	
LD50 dermal rabbit	> 2000 mg/kg	
ATE US (oral)	3346.000 mg/kg body weight	
Skin corrosion/irritation	: Causes skin irritation.	
	pH: 12.5 - 13.5	
Serious eye damage/irritation	: Causes serious eye damage.	
	pH: 12.5 - 13.5	

2-butoxyethanol	(111-76-2)
-----------------	------------

Respiratory or skin sensitization

Germ cell mutagenicity

Carcinogenicity

IARC group 3 - Not Classifiable

Reproductive toxicity : Not classified Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated

exposure)

: Not classified

: Not classified

: Not classified

: Not classified

Aspiration hazard : Not classified

Potential Adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met

Symptoms/injuries after skin contact : May cause moderate irritation.
Symptoms/injuries after eye contact : Causes serious eye damage.

Symptoms/injuries after ingestion : FOLLOWING SYMPTOMS MAY APPEAR LATER: Gastrointestinal complaints. Irritation of the

gastric/intestinal mucosa. Nausea.

SECTION 12: Ecological information

12.1. Toxicity

tetrasodium ethylenediaminetetracetate (64-02-8)		
LC50 fish 1	121 mg/l (96 h; Lepomis macrochirus; Soft water)	
EC50 Daphnia 1	625 mg/l (24 h; Daphnia magna)	
LC50 fish 2	374 - 792 mg/l (96 h; Lepomis macrochirus; pH > 7)	
Threshold limit algae 1	> 100 mg/l (72 h; Scenedesmus subspicatus; Growth)	
2-butoxyethanol (111-76-2)		
LC50 fish 1	116 ppm (96 h; Cyprinodon variegatus; Nominal concentration)	
EC50 Daphnia 1	1700 mg/l (48 h; Daphnia sp.; Nominal concentration)	
LC50 fish 2	1341 ppm (96 h; Lepomis macrochirus)	
EC50 Daphnia 2	1720 mg/l (24 h; Daphnia magna)	

Product Code:420 EN (English US) Page **5** of **8**

Safety Data Sheet

2-butoxyethanol (111-76-2)			
TLM fish 1	100 - 1000,96 h; Pisces		
TLM other aquatic organisms 1	100 - 1000,96 h		
Threshold limit algae 1	900 mg/l (168 h; Scenedesmus quadricauda)		
Threshold limit algae 2	35 mg/l (192 h; Microcystis aeruginosa)		
trisodium orthophosphate, dodecahydrate (10101-89-0)			
LC50 fish 1	2400 mg/l (48 h; Leuciscus idus; Anhydrous form)		
EC50 Daphnia 1	> 100 mg/l (48 h; Daphnia magna)		
LC50 fish 2	220 mg/l (96 h; Lepomis macrochirus; Anhydrous form)		
Threshold limit algae 1	> 100 mg/l (72 h; Desmodesmus subspicatus)		
sodium xylenesulfonate (1300-72-7)			
LC50 fish 1	> 1580 mg/l (Rainbow trout)		
EC50 Daphnia 1	> 1020 mg/l		
ErC50 (algae)	758 mg/l		
NOEC chronic algae	240 mg/l		
2.2. Persistence and degradability			
tetrasodium ethylenediaminetetracetate	(64-02-8)		
Persistence and degradability	Not readily biodegradable in water.		
Biochemical oxygen demand (BOD)	< 0.002 g O2/g substance		
Chemical oxygen demand (COD)			
	0.54 - 0.58 g O ₂ /g substance		
2-butoxyethanol (111-76-2)	0.54 - 0.58 g O ₂ /g substance		
	0.54 - 0.58 g O2/g substance Readily biodegradable in water. Biodegradable in the soil. Photodegradation in the air.		
2-butoxyethanol (111-76-2)			
2-butoxyethanol (111-76-2) Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Photodegradation in the air.		
2-butoxyethanol (111-76-2) Persistence and degradability Biochemical oxygen demand (BOD)	Readily biodegradable in water. Biodegradable in the soil. Photodegradation in the air. 0.71 g O2/g substance		
2-butoxyethanol (111-76-2) Persistence and degradability Biochemical oxygen demand (BOD) Chemical oxygen demand (COD)	Readily biodegradable in water. Biodegradable in the soil. Photodegradation in the air. 0.71 g O2/g substance 2.20 g O2/g substance		
2-butoxyethanol (111-76-2) Persistence and degradability Biochemical oxygen demand (BOD) Chemical oxygen demand (COD) ThOD	Readily biodegradable in water. Biodegradable in the soil. Photodegradation in the air. 0.71 g O2/g substance 2.20 g O2/g substance 2.305 g O2/g substance 0.31 % ThOD		
2-butoxyethanol (111-76-2) Persistence and degradability Biochemical oxygen demand (BOD) Chemical oxygen demand (COD) ThOD BOD (% of ThOD)	Readily biodegradable in water. Biodegradable in the soil. Photodegradation in the air. 0.71 g O2/g substance 2.20 g O2/g substance 2.305 g O2/g substance 0.31 % ThOD		
2-butoxyethanol (111-76-2) Persistence and degradability Biochemical oxygen demand (BOD) Chemical oxygen demand (COD) ThOD BOD (% of ThOD) trisodium orthophosphate, dodecahydra	Readily biodegradable in water. Biodegradable in the soil. Photodegradation in the air. 0.71 g O2/g substance 2.20 g O2/g substance 2.305 g O2/g substance 0.31 % ThOD ate (10101-89-0) Biodegradability: not applicable. Biodegradability in soil: not applicable. No (test) data on		
2-butoxyethanol (111-76-2) Persistence and degradability Biochemical oxygen demand (BOD) Chemical oxygen demand (COD) ThOD BOD (% of ThOD) trisodium orthophosphate, dodecahydra Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Photodegradation in the air. 0.71 g O2/g substance 2.20 g O2/g substance 2.305 g O2/g substance 0.31 % ThOD ate (10101-89-0) Biodegradability: not applicable. Biodegradability in soil: not applicable. No (test) data on mobility of the substance available.		

12.3. Bioaccumulative potential

tetrasodium ethylenediaminetetracetate (64-02-8)		
Log Pow	-2.6	
Bioaccumulative potential	Bioaccumulation: not applicable.	
2-butoxyethanol (111-76-2)		
Log Pow	0.81 (Experimental value; BASF test; 25 ℃)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	

trisodium orthophosphate, dodecahydrate (10101-89-0)		
Bioaccumulative potential	Not bioaccumulative.	
sodium xylenesulfonate (1300-72-7)		
Bioaccumulative potential	No bioaccumulation data available.	

12.4. Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose of contents/container in accordance with Local, State, and Federal regulations.

Product Code:420 EN (English US) Page 6 of 8

Safety Data Sheet

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

14.1. UN Number

UN-No.(DOT) : Not Regulated

Other information : No supplementary information available

14.2. UN proper shipping name

DOT Proper Shipping Name : Not Regulated

SECTION 15: Regulatory information

15.1. US Federal regulations

tetrasodium ethylenediaminetetracetate (64-02-8)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard	
2-butoxyethanol (111-76-2)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory Listed on SARA Section 313 (Specific toxic chemical listings)		
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard	
alkylated naphthalene sulfonate, sodium salt (Proprietary)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard Delayed (chronic) health hazard	
benzenesulfonic acid, C10-16-alkyl derivs., sodium salt (68081-81-2)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard	
trisodium orthophosphate, dodecahydrate (10101-89-0)		
RQ (Reportable quantity, section 101(14) of CERCLA as published on EPA's List of Lists):	5000 lb	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard	
sodium xylenesulfonate (1300-72-7)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard	

15.2. International regulations

CANADA

EU-Regulations

No additional information available

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Classification according to Directive 67/548/EEC or 1999/45/EC

Not classified

15.2.2. National regulations

trisodium orthophosphate, dodecahydrate (10101-89-0)

Trisodium orthophosphate dodecahydrate appears on the U.S. EPA TSCA Inventory under the cas# representing the anhydrous form of this material (7601-54-9 trisodium phosphate, crystalline).

15.3. US State regulations

California Proposition 65 - This product contains, or may contain, trace quantities of a substance(s) known to the state of California to cause cancer and/or reproductive toxicity

Product Code:420 EN (English US) Page 7 of 8

Safety Data Sheet

Prop 65 Comments

:Formaldehyde (CAS#50-00-0): < 50 ppm

SECTION 16: Other information

Abbreviations Legend:

Acute Tox. 3 (Dermal)	Acute toxicity (dermal) Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhalation) Category 3
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Liq. 4	Flammable liquids Category 4
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT RE 2	Specific target organ toxicity (repeated exposure) Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H227	Combustible liquid
H302	Harmful if swallowed
H311	Toxic in contact with skin
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation
H331	Toxic if inhaled
H332	Harmful if inhaled
H335	May cause respiratory irritation
H373	May cause damage to organs through prolonged or repeated
	exposure

Disclaimer

This document is generated for the purpose of distributing health, safely, and environmental data. The information and recommendations are presented in good faith and believed to be from reliable sources, however, the information is provided without any warranty, expressed or implied, regarding its completeness or accuracy. Some information is from sources other than direct test data on the material itself. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and for this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage, or expense arising out of or in any way connected with handling, storage, use, or disposal of the product.

ALL NON-EMERGENCY QUESTIONS SHOULD BE DIRECTED TO 800-747-9593

Revision date: 01/26/2015 Supersedes: 01/02/2013 Version: 1.0

Product Code:420 EN (English US) Page 8 of 8